


Model BIDI-10

Max Wheel RPM 4000

Shaft Diameter, In. 1-3/16"

Max HP 7-1/2

Delhi Industries Inc. certifies that the BIDI Series shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Model BIDI-12

Max Wheel RPM 3400

Shaft Diameter, In. 1-7/16"

Max HP 7-1/2

Delhi Industries Inc. certifies that the BIDI Series shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Model BIDI-13

Max Wheel RPM 3000

Shaft Diameter, In. 1-7/16"

Max HP 7-1/2

Delhi Industries Inc. certifies that the BIDI Series shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Model BIDI-15

Max Wheel RPM 2700

Shaft Diameter, In. 1-7/16"

Max HP 10

Delhi Industries Inc. certifies that the BIDI Series shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Model BIDI-16

Max Wheel RPM 2500

Shaft Diameter, In. 1-11/16"

Max HP 15

Delhi Industries Inc. certifies that the BIDI Series shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Model BIDI-18

Max Wheel RPM 2200

Shaft Diameter, In. 1-11/16"

Max HP 15

Delhi Industries Inc. certifies that the BIDI Series shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Model BIDI-20

Max Wheel RPM 1950

Shaft Diameter, In. 1-11/16"

Max HP 15

Delhi Industries Inc. certifies that the BIDI Series shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Model BIDI-22

Max Wheel RPM 1750

Shaft Diameter, In. 2-1/4"

Max HP 20

Delhi Industries Inc. certifies that the BIDI Series shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).




Model BIDI-24

Max Wheel RPM 1600

Shaft Diameter, In. 2-1/4"

Max HP 20

Delhi Industries Inc. certifies that the BIDI Series shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).



Model BIDI-27

Max Wheel RPM 1450

Shaft Diameter, In. 2-1/4"

Max HP 25

Delhi Industries Inc. certifies that the BIDI Series shown herein are licenced to bear the AMCA Seal. The ratings shown are based on tests and procedures performed in accordance with AMCA Publication 211, and comply with the requirements of the AMCA Certified Ratings Programme. Performance certified is for installation Type B: Free inlet, Ducted outlet. Power rating bhp does not include transmission losses. Performance ratings do not include the effects of appurtenances (accessories).

